

Manufacturer Part number	Description
765061	ZNSE MEN LENS 1.5" DIA FL 5.0" AR/AR ET=0.100"
747246	ZNSE MEN LENS 1.5" DIA FL 7.5" AR/AR ET=0.100"
507790	ZNSE MEN LENS 1.5" DIA FL 5.0" AR/AR ET=0.236"
784964	ZNSE MEN LENS 1.5" DIA FL 7.5" AR/AR ET=0.236"
861143	ZNSE MEN LENS 1.5" DIA FL 10.0" AR/AR ET=0.290"
831393	ZNSE MEN LENS 1.5" DIA FL 3.75" AR/AR ET=0.290"
406294	ZNSE MEN LENS 1.5" DIA FL 5.0" AR/AR ET=0.290"
312503	ZNSE MEN LENS 1.5" DIA FL 5.0" MP-5AR/MP-5AR@10.6 ET=0.290"
702232	ZNSE MEN LENS 1.5" DIA FL 7.5" AR/AR ET=0.290"
474644	ZNSE MEN LENS 1.5" DIA FL 7.5" MP-5AR/MP-5AR@10.6 ET=0.290"
977976	ZNSE MEN LENS 1.5" DIA FL 8.858" AR/AR ET=0.290"
989345	ZNSE MEN LENS 1.5" DIA FL 7.71" AR/AR ET=0.290"
5253505	ZNSE MEN LENS 38.1mm DIA 196mmFL AR/AR ET=7.366mm
400130LMA	ZNSE MEN LENS 1.575" DIA FL 5.118" AR/AR ET=0.295" *CUT *
400250LMA	ZNSE MEN LENS 1.575" DIA FL 9.842" AR/AR ET=0.295" *CUT *
578662	ZNSE PO/CX LENS 1.5" DIA FL 5.0" AR/AR ET=0.300"
306068	ZNSE PO/CX LENS 1.5" DIA FL 7.5" AR/AR ET=0.300"
106106/M16-15-1C-P5.0	ZNSE PO/CX LENS 1.5" DIA FL 5.0" MP-5AR/MP-5AR@10.6 ET=0.300"
578662/M16-15-1C-P5.0	ZNSE PO/CX LENS 1.5" DIA FL 5.0" AR/AR ET=0.300"
106106	ZNSE PO/CX LENS 1.5" DIA FL 5.0" MP-5AR/MP-5AR@10.6 ET=0.300"
145980	ZNSE PO/CX LENS 2.0" DIA FL 5.0" AR/AR ET=0.300"
628275	ZNSE PO/CX LENS 2.0" DIA FL 10.0" AR/AR ET=0.310"
892020	ZNSE PO/CX LENS 2.0" DIA FL 7.5" AR/AR ET=0.310"
618938	ZNSE PO/CX LENS 38.1mm DIA 190.5mm FL AR/AR ET_7.87mm
5013330	ZNSE MEN LENS 1.968" DIA 6.7" FL AR/AR ET=.350" **CUT*
500250LMA	ZNSE MEN LENS 1.969" DIA FL 9.842" AR/AR ET=0.350" *CUT*
120216	ZNSE MEN LENS 1.5" DIA FL 5.0" AR/AR ET=0.354"
123397	ZNSE MEN LENS 1.5" DIA FL 5.0" MP-5AR/MP-5AR@10.6 ET=0.354" CA=1.24"
698637	ZNSE MEN LENS 1.5" DIA FL 7.5" AR/AR ET=0.354"
602033	ZNSE MEN LENS 1.5" DIA FL 7.5" MP-5AR/MP-5AR@10.6 ET=0.354" CA=1.24"
726477	ZNSE MEN LENS 1.5" DIA FL 10.0" AR/AR ET=0.354"
829005	ZNSE MEN LENS 1.5" DIA FL 10.0" MP-5AR/MP-5AR@10.6 ET=0.354"
480176	ZNSE MEN LENS 1.75" DIA FL 5.0" AR/AR ET=0.354"
695399	ZNSE MEN LENS 2.0" DIA FL 7.5" AR/AR ET=0.380"
981551	ZNSE MEN LENS 2.0" DIA FL 10.0" AR/AR ET=0.380"
315833	ZNSE PO/CX LENS 2.0" DIA FL 3,75" ET=0.380"
741363	ZNSE PO/CX LENS 2.0" DIA FL 5.0" AR/AR ET=0.380"
232771	ZNSE PO/CX LENS 2.0" DIA FL 7.5" AR/AR ET=0.380"
6021844	ZNSE PO/CX LENS 2.0" DIA FL 10.0" AR/AR ET=0.380"
158039	ZNSE PO/CX LENS 2.0" DIA FL 5.0" AR/AR@10.6 UM ET=0.380" **HIGH ACCURACY**
753010	ZNSE PO/CX LENS 2.0" DIA FL 5.0" MP-5AR/MP-5AR ET=0.380"
769062	ZNSE PO/CX LENS 2.0" DIA FL 7.5" AR/AR@10.6 UM ET=0.380" **HIGH ACCURACY**
392125	ZNSE PO/CX LENS 2.0" DIA FL 7.5" MP-5AR/MP-5AR@10.6 ET=0.380"
6021844	ZNSE PO/CX LENS 2.0"DIA 10.0"FL AR/AR ET=.380" montata su supporto
6418858	FS PO/CX LENS 2"DIA 7.48"FL AR/AR @ 1.08A`m ET=.45"
5016125	FS Octangular WINDOWDW 1.311"X 1.4173"X .059"ET PO/PO AR/AR @ 1.064nm
6422948	FS PO/CX LENS 1.5"DIA 7.48"FL NAR/NAR ET=.331'
100028-VN	WI36.0-5.0FS-2000-1064-0 vetrini Bystronic
989295-PH	WI38.1-5.0FS-2000-1064-0 per 50 pezzi

250280-VN		JGS1 WDW 42.0mmDIA 9.0mmET AR/AR @ 1070nm
6979795		FOCUS MODULE 200mm MANUAL VERSION PFM-HPSSLF200-MN
600311-PH		WI37.0-7.0-FS-2000-1070-0
TBD1		WI22.35-4.0FS 6000027
968988-PH		LNPX38.1-124.94FS-2000-1064&633-0 ET=7MM SAME AS PN 970773 EXCEPT FL CALCULATED @1070
968987-PH		LNPX38.1-187.41FS-2000-1064&633-0 ET=7MM SAME AS PN 969444 EXCEPT FL CALCULATED @1070
300050-PH		WI25.4-3.0FS-2000-1070-0 Prima Industrie
5020210-VN ex 600098-VN		VETRINI PER PLATINO IN FIBRA COD. 1057.81000.089 DIAM. 35 MM SP. 1,5 MM
5021285		WI32.0-6.35FS-2003-1070&633-0 cod. 3163040010
100004-VN		WI34.0-5.05FS-2000-1064-0 vetrini Trumpf 1614767
970184-VN		WI55.0-0-1.5FQ-2000-1064-0
969302-VN		WI30.0-1.5NSGN-2000-1064-0
PARTIAL REFLECTOR		
148318		ZNSE P.R. 1.0"DIA .236"THK 30MCC/30MCX 65%/AR**
182134		ZNSE PR 1.1" DIA, .236"ET 20MCC/7,5MCX 60%/AR
204977		ZNSE P.R. 1.5"DIA .315"ET 35MCC/15MCX 60%/AR
447118		GE PR 1.1"DIA, ET=.236", 20MCC/PO 99.5%R/AR
497405		ZNSE P.R. 1.5"DIA .315"ET 20MCC/10MCX 40%/AR
608997		ZNSE P.R. 1.1"DIA .236"ET 20MCC/9MCX 60%/AR*CA,W
638252		ZNSE P.R. DIA=1.0" THK=0.236" PO/PO 60%R
667088		GE PR 1.5"DIA, .315 ET, 20MCC/PO 99%R/AR
810771		GE PARTIAL REFLECTOR DIA=25,4MM THK=6MM 15MCC/99,6%R PO/AR
835798		ZNSE P.R. 1.1"DIA .236"THK 30MCC/12MCX 60%/AR
861143		ZNSE MEN 1.5"DIA, 10"FL .29"THK AR/AR
895725		ZNSE P.R. DIA=1.0" THK=0.236" PO/PO 50%R/AR
915256		ZNSE P.R. DIA=1.0" THK=0.236" 20MCC 99.5%
937737		GE P.R. 1.5"DIA .315"ET 40MCC/PO 99.5%/AR *CA
966659		GE P.R. 1.5"DIA .315"ET 30MCC/PO 99.5%/AR *CA
SPECCHI		
36206		VRM-45-10.6-40-3:11-6C:6X-MMR
132098		ZNSE PR 27.94mmDIA 5.59mmTHK 20MCC/15MCX 50%/AR
137784		CU WC REFL 63.5mmDIA 25mmTHK PO/SPT PS/UC*
158344		CU RPR 68.0MMDIA 20.32MMTK PO/SPT-90 @ 10.6&.635 *PWR,WDG,C/A
160586		CU REFL 2.0"DIA .375"THK PO/SPT ATFR/UC 45DEG
173811		CU WC RPR. DIA=2.756" THK=0.984" PO/SPT -90
182241		CU REFL PHASE RETARDER 50.0mmDIA 10.0mmTK PO/SPT-90
192006		SI REFL. 38.1mm DIA 9.52mm THK PO/FG SMMR/UC ** ABS P-POL*
213811		CU REFL 50.0MMDIA 10.0MMTK PO/SPT TRZ/UC *CA,HOLE
221987		SI REFL 44.45MMDIA 9.53MMTHK PO/FG EG/UC
224094		SI REFL PHASE RETARDER 3.0"DIA .250"THK PO/FG - 90
224094		SI REFL PHASE RETARDER 3.0"DIA .250"THK PO/FG - 90
234709		GE PART REFL. 25.4mmDIA 6.0mmTHK 15MCC/PO 99.5%/AR**
275642		CU-MIRROR DIA: 68,0 MM (2,677") THK: 34,0 MM (1.339") UNCOATED WATER COOLED
290909		CU W.C. REFL 2.36"X 3.15"X .787"TK PO/SPT TRZ/UC**
296180		CU REFL 2.36"DIA .394"TK PO/SPT MMR/UC 45DEG**
296483		CU W.C. REFLECTOR 2.500"DIA .984"THK PO/SPT PS/UC *
326362		SI REFLECTOR 2.0"DIA .200"THK PO/FG EG/UC **
326453		GE-MIRROR DIAM. : 1.1" THICKN.: 0.22" S1 : 20 MCC - 99.5% R S2 : PO - AR
334758		SI REFL 63.5mmDIA 6.4mm PO/FG DZMMR/UC
336579		SI REFLECTOR 38.1mmDIA 6.35mmTHK 30MCC/FG DEMMR/UC @ 10.6&.633
337107		ZNSE P.R. 25.4mmDIA 6.0mmTHK 20MCC/20MCX 60%/AR
341534		SI REFL 2.0"DIA .200"TK PO/FG TRZ/UC 45DEG*
350023		CU REFL 60mmDIA 10.00mmTK PO/SPT TRZ/UC 45DEG*HOLE*CA
390686		CU REFL PHASE RETARDER 38.1MMDIA 6.35MMTHK PO/SPT-90

408825		SI REFL 2.0"DIA .200"THK PO/FG DEMMR/UC*CA
432326		CU REFLECTOR 1.9685"DIA .3937"THK PO/SPT ATFR/UC**
453180		SI REFLECTOR 38.1mm DIA 9.5mm THK PO/FG PLM-W/UC**
467572		ZNSE MEN LENS 50.8mmDIA 190.5mmFL MP-5-AR/MP-5-AR ET=9.65mm
468936		CU W.C. REFLECTOR 50.8mmDIA 54.0mmTHK PO/SPT SEG/UC***
478312		SI REFLECTOR 3.0"DIA .250"THK PO/FG EG/UC
499018		GE PR 27.94mmDIA 5.588mmTHK 30MCC/600.1766mmCX
504386		SI REFLECTOR 38.1mm DIA 6.35mm THK 20MCC/FG ES/UC
507790		ZNSE MEN LENS 1.5" DIA 5.0" FL ET=.236" AR/AR
512168		ZNSE PART REFL 25.4mmDIA 6.0mmTHK 20MCC/20MCX 50%/AR
521331		ZNSE PART REFL 27.94mMDIA 5.58MMET 20MCC/10MCX 70%/AR*
536364		MIRR GAAS SC PR 24.4mm OMM THK 30 MC-PO 99/7% AR
568133		CU WC RPR. DIA=2.0" THK=0.984" PO/SPT RPR/UC-90
582132		SI RPR-F 2.000"DIA .200"ET PO/FG-90 @10.6 & 0.650UM**
589701		ZNSE PR 27.94mmDIA CT=5.588mm 30MCC/40MCX 80%/AR
593055		CU REFL 60.0mm DIA 9.5mm TK PO/SPT TRZ/UC *HOLE,TOL
610186		CU REFLECTOR 2.362"D.394"THK PO/SPT TRZ/
618042		SI REFLECTOR 2.0"DIA .200"THK PO/FG PS/UC
637281		SI REFLECTOR 1.75"DIA .375"THK PO/FG MMR/UC
656671		SI REFL 38.1mmDIA 6.35mmTHK PO/FG PLM/UC
659822		CU WC REFL. DIA=2.756" THK=0.984" PO/SPT MMR/UC
690933		SI REFLECTOR 1.5"DIA .375"THK PO/FG MMR/UC **
690933		SI REFLECTOR 1.5"DIA .375"THK PO/FG MMR/UC **
693710		CU RPR 1.969"DIA .394"THK PO/SPT HRPR/UC-90 CA=.1.87"
713885		ZNSE PR 38.1mmDIA 6mmTHK 10MCC/10MCX UC/AR
729796		CU W.C. REFL PHASE RETARDER2.500"DIA .984"THK PO/SPT-90 *
732576		SI RPR. DIA=2.677" THK=0.800" PO/FS I /4
745037		SI REFL 68mMDIA 20.32MMTHK PO/FS TRZ/UC 25DEG
748680		CU REFL PHASE RETRDER 76.2mmDIA 12.7mmTK PO/SPT -90**
798182		CU REFL 1.969"DIA .394"THK 1.68MCX/SPT MMR
805281		SI RPR 3.0"DIA .250"THK PO/FG -90 (+/-3)*
815554		CU WC RPR 2.362"X 3.1496"X .7874"THK PO/SPT -90
829060		SI REFL 2.677"DIA .800"THK PO/FS PS/UC**
850513		SI REFLECTOR 3.0"DIA .250"THK PO/FG TRZ/UC 45DEG
851571		SI REFLECTOR 2.0"DIA .400"THK PO/FS PS/UC**
862041		CU REFL 1.969"DIA .394"THK 1.0MCX/SPT MMR@ 10.6
865013		CU W.C. MIRROR 68.0mmDIA 34.0mmTHK PO/SPT
868249		CU REFL 1.969"DIA .394"THK PO/SPT EG @ 10,6 CA=1.9085"
875400		ZNSE PR 25.4mMDIA 6MMTHK PO/PO 35%/AR *THF4
882819		GAAS P.R. 1.181"DIA .236"ET PO/PO 99.6%/AR **
885625		ZNSE P.R. 1.181"DIA .236"ET PO/PO MP-5-50%/MP-5-AR**
889373		CU REFL 1.969"DIA .394"THK PO/SPT MMR/UC **
889373		CU REFI 1.969"DIA .394"THK PO/SPT MMR/UC **
893833		SI REFL PHASE RETARDER 2.0"DIA .200"TK PO/FG -90 **
895725		ZNSE P.R. DIA=1.0" THK=0.236" PO/PO 50%R/AR
907345		SI RPR. DIA=2" THK=0.20" AOI 45 I /4
915256		ZNSE P.R. DIA=1.0" THK=0.236" 20MCC 99.5%
923010		CU REFLECTOR 3.0"DIA .500"THK PO/SPT TRZ/UC 45DEG
923010		CU REFLECTOR 3.0"DIA .500"THK PO/SPT TRZ/UC 45DEG
963043		SI REFL 2.677"DIA .800"THK PO/FS TRZ/UC 45DEG**
963043		SI REFL 2.677"DIA .800"THK PO/FS TRZ/UC 45DEG**
969917		SI REFL PHASE RETARDER 2.0"DIA .400"THK PO/FS-90**
988175		ZNSE PR 25.4mMDIA 6MMTHK 30MCC/30MCX 65%/AR
4024166		VRM-0-10.6-20-0.3:3.5-6C-6X-UC
5017200		VRM-45-10.6-20-0.3:3.5-22C:22X-UC
6025456		CU W.C. REFL PHASE RETARDER 2.000"DIA .984"THK PO/SPT-90 ** 158473/F
6025499		CU W.C. REFLECTOR 2.000"DIA .984"THK PO/SPT TRZ/UC *** 803063/F
6063640		CU W.C. REFL W/FTGS 50mmDIA 25mmTK PO/SPT MMR-A/UC
475725/F		CU W.C. REFL W/FTGS 1.100"DIA .787"ET 30MCC/SPT MMR-A/UC

OMOLOGO SRL**VIA ARCHIMEDE 11A 35030 RUBANO (PD)****TEL. 049 8976909 - FAX 049 632837****info@omologo.com - www.omologo.com**

